Michigan Department of Transportation
Suzette Peplinski, PE
Michigan Department of Transportation
1420 Front Avenue NW
Grand Rapids, MI 49504
PeplinskiS@michigan.gov

Serving the Grand Rapids Area Freeways

Control Room Coverage

The following report is limited to data

collected during the hours of operation for the control room and within the ITS device coverage area.

Control Room Hours of Operation

Time Period	Days	Hours
October – April	Monday – Friday	6 am – 8 pm
	Saturday – Sunday	As needed
May – September	Monday – Thursday	6 am – 8 pm
	Friday	6 am – 9 pm
	Saturday	12 pm – 6 pm
	Sunday	4 pm – 8 pm
Special Events	All	As needed
Holidays and Holiday Weekends	New Years Day, Memorial Day, Independence Day, Labor Day, Thanksgiving, Christmas	As needed

ITS Device Locations and Coverage Area





Suzette Peplinski, PE
Michigan Department of Transportation
1420 Front Avenue NW
Grand Rapids, MI 49504
PeplinskiS@michigan.gov

Serving the Grand Rapids Area Freeways


Control Room Support Activity




Calls and Emails by Type

		Calls	S		Emai	ls
Agency	ln	Out	Total	ln	Out	Total
City of Grand Rapids	0	0	0	26	0	26
City of Wyoming	0	0	0	0	0	0
Grand Rapids Police Department	7	73	80	0	0	0
Kent County Road Commission	0	1	1	0	0	0
MDOT, Construction	1	2	3	12	0	12
MDOT, Traffic/ITS	0	0	0	7	0	7
MDOT, Maintenance	1	0	1	2	0	2
MDOT, Other	1	2	3	51	0	51
Media	0	0	0	0	9	9
Michigan State Police	0	3	3	0	0	0
Sheriff, Kent Co.	0	0	0	0	0	0
URS Corporation	1	4	5	6	3	9
ITS System Maintenance	1	5	6	0	0	0
Weather	0	0	0	32	0	32
Other	0	0	0	9	0	9
Month Total	12	90	102	145	12	157


Calls by Type



Emails by Type



Month Total of Unplanned Incidents per Weekday Hour



Monthly High Impact Unplanned Incident Activity

Incident	Jun 2008	May 2008	Jun 2007	Previous 12-Month Avg.
Lane Closures	16	20	12	9
Ramp Closures	1	-	2	1
Freew ay Closures	2	1	1	1

Total Monthly Unplanned Incidents by Roadway

Freeway	Jun	2008	May	2008	Jun	2007		evious onth Avg.
	Total	per mi.						
I-96 (4.5 mi.)*	12	2.7	6	1.3	12	2.7	5	1.1
I-196 (8.5 mi.)*	17	2.0	10	1.2	17	2.0	17	2.0
US-131 (11 mi.)*	57	5.2	56	5.1	45	4.1	38	3.4
Total	86	3.6	72	3.0	74	3.1	59	2.5

*Mileages reflect the portion of the roadway within the coverage area.

Traffic Management Center News

The WMTMC continued to work with project engineers to display messages for construction activities.



The portable vehicle detector was set up near East Beltline Ave (M-37) and Lake Eastbrook Blvd to detect traffic flow through the construction zone.

The West River Drive camera was replaced following damage from a line of thunderstorms on June 5.



The WMTMC provided traffic support for the Festival of the Arts in downtown Grand Rapids on June 6-8.

Page 2


Michigan Department of Transportation
Suzette Peplinski, PE
Michigan Department of Transportation
1420 Front Avenue NW
Grand Rapids, MI 49504
PeplinskiS@michigan.gov

Serving the Grand Rapids Area Freeways

Traveler Information Activity

• The MDOT ITS Control Room provides traffic information to freeway users via 10 dynamic message signs (DMS) positioned in key locations along the freeway system in the greater Grand Rapids area.


DMS Messages by Type



Top Three Utilized DMS

- 1. Northbound US-131 at 28th Street
- 2. Northbound US-131 at 36th Street
- 3. Eastbound I-196 at Chicago Drive

Monthly Incident Notification History



Monthly Incident Notification Communication Accuracy

	Jun 2008	May 2008	Jun 2007	Previous 12-Month Avg.
Format Correct	100.0%	92.3%	100.0%	98.6%
Content Correct	100.0%	92.3%	100.0%	95.7%




Michigan Department of Transportation
Suzette Peplinski, PE
Michigan Department of Transportation
1420 Front Avenue NW
Grand Rapids, MI 49504
PeplinskiS@michigan.gov


Serving the Grand Rapids Area Freeways

Incident Management Information


Incidents Managed by Type



Vehicle Composition of Incidents





Incident Duration History*




*Incident Duration History does not include abandoned vehicles.

Traffic Impacts by Incident Type





Incident Hot Spots



Page 4




Suzem Department of Transportation
Suzette Peplinski, PE
Michigan Department of Transportation
1420 Front Avenue NW
Grand Rapids, MI 49504
PeplinskiS@michigan.gov


Serving the Grand Rapids Area Freeways

Construction Management Information

Incidents Occurring in Construction Zones



Weekend* Construction




*Friday, Saturday and Sunday.

Michigan Department of Transportation Suzette Peplinski, PE Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Serving the Grand Rapids Area Freeways

ITS Field Infrastructure Reliability


Overall CCTV Camera System Availability



Individual CCTV Camera Availability

Camera Full Partial No 1 US-131 @ 28th St 100% - - 2 US-131 @ Franklin St 100% - - 3 US-131 @ Market Ave 100% - - 4 US-131 @ Pearl St 100% - - 5 US-131 @ I-196 100% - - 6 US-131 @ Leonard St 100% - -	ne
2 US-131 @ Franklin St 100% - 3 US-131 @ Market Ave 100% - 4 US-131 @ Pearl St 100% - 5 US-131 @ I-196 100%	
3 US-131 @ Market Ave 100% - 4 US-131 @ Pearl St 100% - 5 US-131 @ I-196 100%	- - -
4 US-131 @ Pearl St 100%	
5 US-131 @ I-196 100% -	
6 US-131 @ Leonard St 100%	
7 US-131 @ Ann St 100%	-
8 US-131 @ I-96 100%	-
9 US-131 @ Hall St 100%	-
10 US-131 @ West River Dr 80% 4% 16	%
11 F196 @ Chicago Dr 100%	-
12 F196 @ Lake Michigan Dr 100%	-
13 F196 @ Lane Ave 100%	-
14 F196 @ College Ave 100%	-
15 I-196 @ Fuller Ave 100%	-
16 F96 @ F196 100%	-
17 F96 @ Fulton St (M-21) 100%	-


Overall DMS System Availability



Individual Dynamic Message Sign Availability

	DMS	Full	Partial	None
1	WB I-96 @ Fulton St (M-21)	100%	-	-
2	WB I-196 @ Chicago Dr	100%	-	-
3	EB I-196 @ Plymouth Ave	100%	-	-
4	SB US-131 @ West River Dr	100%	-	-
5	SB US-131 @ Ann St	100%	-	-
6	NB US-131 @ Leonard St	100%	-	-
7	SB US-131 @ Pearl St	100%	-	-
8	SB US-131 @ Hall St	100%	-	-
9	NB US-131 @ 36th St	98%	-	2%
10	NB US-131 @ 28th St	94%	6%	-

Overall VSS System Availability



Individual Variable Speed Sign Availability

	VSS	Full	Partial	None
1	SB US-131 @ Pearl St	100%	-	-
2	NB US-131 @ Market Ave	100%	-	-
3	SB US-131 @ Market Ave	100%	-	-
4	NB US-131 @ Franklin St	100%	-	-


Page 6

Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Serving the Grand Rapids Area Freeways

Safety Summary

June 2008 **Incident Density by Freeway Segment**





Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Table	Description	Purpose	Data Source
Month Total of Unplanned Incidents per Weekday Hour	Displays the total unplanned incidents for 1-hour increments over a 24-hour period.	Provides a snapshot view of variability of incidents by time of day.	Control Room Activity Log Manually entered information by the operator.
Monthly High Impact Unplanned Incident Activity	Displays the number of major unplanned incidents for the current month, previous month, month last year and the monthly average for the previous 12 months.	Provides a snapshot view of the major incidents that affect the roadway and freeway interchanges along with historical data.	Control Room Activity Log Manually entered information by the operator.
Total Monthly Unplanned Incidents by Roadway	Displays the total unplanned incidents by freeway and the density of incidents based on freeway coverage.	Provides a snapshot view of the number of incidents per freeway per month.	Control Room Activity Log Manually entered information by the operator.
Monthly Communication History	Displays the number of telephone calls and emails (incoming and outgoing) for the Control Room Operators for the current month, previous month, month last year and a monthly average for the previous 12 months.	Provides a snapshot view of the control room workload in a historical context.	Control Room Activity Log Manually entered information by the operator.
Calls and Emails by Type	Displays the number and types of call and email activity for the Control Room operators, separating incoming and outgoing calls.	Provides a snapshot view of the Control Room call distribution and any apparent trends with the call volume or type.	Control Room Activity Log Manually entered information by the operator.
Calls by Type	Displays the percentage distribution of call activity for the Control Room operators.	Provides a snapshot view of the Control Room call distribution and any apparent trends with the call volume or type.	Control Room Activity Log Manually entered information by the operator.
Emails by Type	Displays the percentage distribution of email activity for the Control Room operators.	Provides a snapshot view of the Control Room email distribution and any apparent trends with the email volume or type.	Manually entered information by the operator.

Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Table	Description	Purpose	Data Source
DMS Messages by Type	Displays the total number of DMS messages by type that occurred during the month.	Provides a snapshot view of the level of effort and need related to DMS messages.	Control Room Activity Log Manually entered information by the operator.
Top Three Utilized DMS	Displays the top 3 DMS in terms of the number of unique messages displayed for the month.	Provides a snapshot view of the "most active" DMS for traveler information, which may indicate areas where additional DMS or other forms of traveler information may be necessary.	Control Room Activity Log Manually entered information by the operator.
Monthly Incident Notification History	Displays the number of email incident notifications sent out by Control Room Operators for the current month, previous month, month last year and the monthly average for the previous 12 months.	Provides a snapshot view of the control room workload in a historical context.	QA/QC Log Manually entered information by operations supervisor.
Monthly Incident Notification Communication Accuracy	Displays the accuracy of email incident notification messages sent out to stakeholders. Accuracy measures include format and content.	Provides a quantitative method of quality control on operator interactions with stakeholders.	OA/OC Log Manually entered information by operations supervisor.



Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Table	Description	Purpose	Data Source
Incidents Managed by Type	Displays the distribution of incident types.	Provides a snapshot view of the composition of incidents.	Control Room Activity Log Manually entered information by the operator.
Vehicle Composition of Incidents	Displays the number of incidents that involved commercial vehicles compared to passenger cars for each incident type.	Provides a snapshot view of the incidents involving commercial vehicles.	Control Room Activity Log Manually entered information by the operator.
Incident Duration History	Displays the total number of incidents compared with the number of incidents with durations exceeding 30 minutes and 60 minutes. (current month, previous month, month last year and the monthly average for the previous 12 months.)	Provides a snapshot view of the duration of incidents managed by the control room.	Control Room Activity Log Manually entered information by the operator.
Traffic Impacts by Incident Type	Displays traffic impact distributions by incident type.	Provides a snapshot view of the typical traffic impacts for each incident type.	Control Room Activity Log Manually entered information by the operator.
Incident Hot Spots	Displays the most frequent locations for accidents and disabled vehicles.	Provides a snapshot view of where operators should concentrate their attention.	Control Room Activity Log Manually entered information by the operator.



June 2008

West Michigan TMC Serving the Grand Rapids Area Freeways

Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Table	Description	Purpose	Data Source
Incidents Occurring in Construction Zones	Displays the number of unplanned incidents occurring in construction zones for the current and previous months.	Provides a snapshot view of the number of incidents occurring in construction zones.	Control Room Activity Log Manually entered information by the operator.
Weekend Construction DMS Message Activity	Displays the average and maximum number of unique construction messages posted during a full (Friday-Sunday) weekend in the current and previous months.	Provide an snapshot view of the quantity of messaging occurring during the weekend.	Control Room Activity Log Manually entered information by the operator.

Michigan Department of Transportation 1420 Front Avenue NW Grand Rapids, MI 49504 PeplinskiS@michigan.gov

Table	Description	Purpose	Data Source
Overall Camera System Availability	Displays the percentage of CCTV camera availability for the current month, previous month, month last year and the monthly average for the previous 12 months.	Provides a snapshot view of system availability in relation to historical data.	Daily Shift Report Manually entered information by the operator.
Individual CCTV Camera Availability	Displays the percentage of time each individual CCTV camera is functioning at full, partial and zero capacity.	Provides a detailed view of ITS system availability.	Daily Shift Report Manually entered information by the operator.
Overall DMS System Availability	Displays the percentage of Dynamic Message Sign availability for the current month, previous month, month last year and the monthly average for the previous 12 months.	Provides a snapshot view of system availability in relation to historical data.	Daily Shift Report Manually entered information by the operator.
Individual Dynamic Message Sign Availability	Displays the percentage of time each individual Dynamic Message Sign is functioning at full, partial and zero capacity.	Provides a detailed view of ITS system availability.	Daily Shift Report Manually entered information by the operator.
Overall VSS System Availability	Displays the percentage of Variable Speed Sign availability for the current month, previous month, month last year and the monthly average for the previous 12 months.	Provides a snapshot view of system availability in relation to historical data.	Daily Shift Report Manually entered information by the operator.
Individual Variable Speed Sign Availability	Displays the percentage of time each individual Variable Speed Sign is functioning at full, partial and zero capacity.	Provides a detailed view of ITS system availability.	Daily Shift Report Manually entered information by the operator.
Incidents by Freeway Segment	Displays incident density per segment of roadway within the ITS device coverage. Red indicates a freeway with the highest incident density. Dark orange, light orange and light yellow represent decreasing levels of density, respectively.	Provides a graphic representation of incident density to assist in choosing locations for future ITS devices.	Daily Shift Report Manually entered information by the operator.

